

Type	Hits	Ref	Search Text	DBs	Time Stamp
BRS	632	S106	salt near filter\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	155	S107	(salt near filter\$1) and isomers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S108	((salt near filter\$1) and isomers) and computer) and array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	7000	S109	array with container\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1882	S110	(array with container\$1) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S111	((array with container\$1) and computer) and (salt adj formers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	431	S112	salt adj formers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S113	investigating adj physical adj forms adj "of material"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	125	S114	investigating adj materials	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	35	S115	(investigating adj materials) and array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	14	S116	((investigating adj materials) and array) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S117	((((investigating adj materials) and array) and computer) and (heat and temperature)) and resultant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S118	((((investigating adj materials) and array) and computer) and (heat and temperature)) and byproduct	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3180	S119	(702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	8561	S120	(422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	2361	S121	(436/50 or 436/174 or 436/177).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	693	S122	(366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	50	S123	564/425.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	14024	S124	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3103	S125	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) and (material adj testing or investigating or formation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	910	S126	(422/50 or 436/4).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	14539	S127	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	56	S128	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.) and (material near screening)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	30	S129	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.) and (material near screening))) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	26	S130	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.) and (material near screening))) and computer) and pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03

Type	Hits	Ref	Search Text	DBs	Time Stamp
BRS	0	S138	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and (material near screening)) and computer) and pressure) and temperature) and variable\$1) and analyzing) and (agitation or catalyst) and cool\$3) and (time and duration)) and operation) and filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S139	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and (material near screening)) and computer) and pressure) and temperature) and variable\$1) and analyzing) and (agitation or catalyst) and cool\$3) and (time and duration)) and operation) and feedback) and isomers\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	256	S140	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and polymorphism	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	160	S141	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and polymorphism) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	154	S142	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and polymorphism) and computer) and samples	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	8	S143	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and polymorphism) and computer) and samples) and isomers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	7	S144	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and polymorphism) and computer) and samples) and isomers) and filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S145	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and polymorphism) and computer) and samples) and isomers) and filter) and salts) and crystallization	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S146	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and polymorphism) and computer) and samples) and isomers) and filter) and salts) and crystallisation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S147	(((((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccls.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccls.) or ((436/50 or 436/174 or 436/177).ccls.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccls.) or 564/425.ccls.) or ((422/50 or 436/4).ccls.)) and polymorphism) and computer) and samples) and isomers) and filter) and salts) and crystallisation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
IS&R	2	S148	("20030157721").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S149	((("20030157721").PN.) and (end same product)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S150	((("20030157721").PN.) and resultant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S151	((("20030157721").PN.) and byproduct	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S152	((US-20030157721-\$).did.	US-PGPUB	03/28/05
BRS	1	S153	((US-20030157721-\$).did.) and (type same solvent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S154	((US-20030157721-\$).did.) and (timing same solvent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S155	((US-20030157721-\$).did.) and (time same solvent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S156	((US-20030157721-\$).did.) and (duration same solvent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S157	((US-20030157721-\$).did.) and (duration and solvent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	572	S158	366/142.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	30	S159	366/142.ccls. and solvent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	23	S160	(366/142.ccls. and solvent) and material	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	9	S161	((366/142.ccls. and solvent) and material) and solid	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S162	(((((366/142.ccls. and solvent) and material) and solid) and computer) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S163	((US-20030157721-\$).did.) and (computer and solvent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S164	((US-20030157721-\$).did.) and (computer same solvent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S165	((US-20030157721-\$).did.) and (heat or heating)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S166	((US-20030157721-\$).did.) and (agitation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	2	S167	((US-20030157721-\$).did.) and (catalyst)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S168	((US-20030157721-\$).did.) and (temperature and computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S169	((US-20030157721-\$).did.) and (temperature and computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S170	((US-20030157721-\$).did.) and (temperature same computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S171	((US-20030157721-\$).did.) and (filter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S172	((US-20030157721-\$).did.) and (porous)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	2	S173	((US-20030157721-\$).did.) and (pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S174	((US-20030157721-\$).did.) and (material same analysed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S175	((US-20030157721-\$).did.) and (material same analyzed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S176	((US-20030157721-\$).did.) and (analyzed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S177	((US-20030157721-\$).did.) and (analysed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S178	((US-20030157721-\$).did.) and (analysis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S179	((US-20030157721-\$).did.) and (polymorphs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05

Type	Hits	Ref	Search Text	DBs	Time Stamp
BRS	0	S180	((US-20030157721-\$).did.) and (polymorph)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S181	((US-20030157721-\$).did.) and (salts)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S182	((US-20030157721-\$).did.) and (salt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S183	((US-20030157721-\$).did.) and (first same second)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S184	((US-20030157721-\$).did.) and (predetermined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S185	((US-20030157721-\$).did.) and (predetermined same amount)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3466	S204	(702/22-23 or 702/27 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S205	((702/22-23 or 702/27 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.) and polymorphs	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	4	S206	((702/22-23 or 702/27 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.) and polymorphs	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3	S207	((702/22-23 or 702/27 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.) and polymorphs and isomers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3	S208	((702/22-23 or 702/27 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.) and polymorphs and isomers and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S191	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccs.) or ((436/50 or 436/174 or 436/177).ccs.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccs.) or 564/425.ccs.) and (material adj testing or investigating or formation)) and (salt near formers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S197	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccs.) or ((436/50 or 436/174 or 436/177).ccs.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccs.) or 564/425.ccs.) or ((422/50 or 436/4).ccs.) and polymorphism and computer and samples and isomers and filter and salts and crystallization	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S200	((20030157721*).PN.) and programmed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S201	((20030157721*).PN.) and sample	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S209	((702/22-23 or 702/27 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.) and polymorphs and isomers and computer and vapour	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	10	S186	((salt near filter\$1) and isomers) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	7	S187	((salt adj formers) and computer) and material	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
IS&R	2	S188	(*5246699*).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3	S189	((investigating adj materials) and array) and computer and (heat and temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	7	S190	((salt adj formers) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	5	S192	((422/50 or 436/4).ccs.) and (material near testing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3	S193	((422/50 or 436/4).ccs.) and (material near testing)) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
IS&R	8	S194	((3814582) or (*3932131*).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	5	S195	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccs.) or ((436/50 or 436/174 or 436/177).ccs.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccs.) or 564/425.ccs.) or ((422/50 or 436/4).ccs.) and (material near screening)) and computer and pressure and temperature and variable\$1) and analyzing and (agitation or catalyst) and cool\$3) and (time and duration)) and operation) and feedback	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	6	S196	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccs.) or ((436/50 or 436/174 or 436/177).ccs.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccs.) or 564/425.ccs.) or ((422/50 or 436/4).ccs.) and polymorphism and computer and samples and isomers and filter and salts	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	5	S198	((702/22-23 or 702/31-32 or 702/50 or 702/85 or 702/98-99 or 702/121-123 or 702/137-138 or 702/176 or 702/for.115-for.116 or 702/for.119-for.121).ccs.) or ((422/68.1 or 422/81 or 422/82.12 or 422/82.13 or 422/100 or 422/102 or 422/105 or 422/132).ccs.) or ((436/50 or 436/174 or 436/177).ccs.) or ((366/8 or 366/14 or 366/17-19 or 366/22 or 366/29).ccs.) or 564/425.ccs.) or ((422/50 or 436/4).ccs.) and polymorphism and computer and samples and isomers and filter and salts and resultant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	2	S199	((20030157721*).PN.) and material	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	4	S202	((366/142.ccs. and solvent) and material and solid) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	4	S203	366/142.ccs. and (solvent same computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
IS&R	82	S210	((20010016631*) or (*20010055775*) or (*20020032531*) or (*20020037647*) or (*20030033088*) or (*20030219906*) or (*3899011*) or (*4399687*) or (*4835711*) or (*4877745*) or (*5417923*) or (*5445934*) or (*5463564*) or (*5574656*) or (*5658802*) or (*5684711*) or (*5744305*) or (*5763278*) or (*5807522*) or (*5843767*) or (*5859703*) or (*5901069*) or (*5928952*) or (*5956137*) or (*5965137*) or (*5985214*) or (*5999255*) or (*6003029*) or (*6100901*) or (*6140643*) or (*6175816*) or (*6267935*) or (*6296673*) or (*6327334*) or (*6333501*) or (*6421553*) or (*6434490*) or (*6487523*) or (*20020048610*) or (*6507636*).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S211	S210 near salt\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3	S212	S210 and polymorphs	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S213	S212 and (initial near material)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3	S214	S212 and (material)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	0	S215	S214 and receptacles	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	3	S216	S214 and chemical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	502	S217	array near receptacle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	7	S218	S217 and investigating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	7	S219	S218 and material	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	7	S220	resultant near material near analysis	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05
BRS	1	S221	S220 and (array near receptacle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	03/28/05